

2024

Can we go wrong with getting strong?

Whitbread-Jordan, Myles

Whitbread-Jordan, M. (2024). 'Can we go wrong with getting strong?', South West Clinical School Journal, 4 (1).

<https://pearl.plymouth.ac.uk/handle/10026.1/22244>

<https://doi.org/10.24382/191f-af53>

University of Plymouth

All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Please cite only the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author.

#400WORDS: KNOWLEDGE + ACTION

Can we go wrong with getting strong?

Myles Whitbread-Jordan¹

¹Physiotherapist, Royal Cornwall Hospitals NHS Trust, TRURO, TR1 3LJ, UK.

Email: myles.whitbread@nhs.net

Submitted for publication: 01 March 2024

Accepted for publication: 07 March 2024

Published: 02 April 2024

Background

Nearly 20% of all primary care visits in England are related to painful musculoskeletal conditions (Keavy, 2020) and exercise is often the first-line treatment for managing musculoskeletal pain. Strengthening the muscles around the symptomatic region is a common rationale given by physiotherapists for incorporating exercise in conditions like subacromial pain syndrome (Powell *et al.*, 2022), knee and hip osteoarthritis (Holden *et al.*, 2009; Haber *et al.*, 2023), greater trochanteric pain syndrome (GTPS) (French *et al.*, 2020), low back pain (Gaskell *et al.*, 2019; Cuddy and Gaskell, 2020) and patellofemoral pain (Smith *et al.*, 2017).

Methods

A structured literature search was undertaken on PubMed to identify mediation analysis studies using the terms “mediation analysis”, “mediation”, “pain” and “tendinop*”. Seven-hundred and eighty studies were identified, with seven mediation studies being selected for inclusion after review.

Discussion

Prospective studies highlight strength deficits are not the cause of musculoskeletal conditions like patellofemoral pain syndrome (Rathleff *et al.*, 2014; Neal *et al.*, 2019) with mediation studies establishing that neither knee extensor or hip abduction strength are responsible for reductions in pain in this population group (Holden *et al.*, 2021; 2023) or hip abduction strength in those suffering with GTPS (Mellor *et al.*, 2022). A recent systematic review did not identify any studies examining if improving muscle strength is responsible for reductions in pain in Achilles tendinopathy (Murphy *et al.*, 2023).

Furthermore, strength of the trunk or leg muscles in pain-free populations does not predict the onset of low back pain in the future (Sadler *et al.*, 2017) with mediation studies showing an absence in relationship between muscle strength and pain in people with subacromial pain syndrome (Hotta *et al.*, 2022).

There is a paucity of research into the mediating variables of painful musculoskeletal conditions despite entrenched beliefs held by physiotherapists around the role of exercise as a medium to improve muscle strength to reduce pain. The small number of mediation studies to date appear to contradict the common belief that increasing muscle force will reduce musculoskeletal pain. Instead, pain catastrophising, self-efficacy, sleep, cognitive reappraisal, depression, anxiety, and diet are consistently identified as mediating variables for improving pain in musculoskeletal conditions (Alaiti *et al.*, 2022).

Conclusion

Contemporary pain science and phenomenology stress viewing musculoskeletal pain as an embodied-embedded experience; unable to separate out the biological, psychological, and social constructs unlike the biomedical or biopsychosocial approach (Stilwell & Harman, 2019). As a team we are now reviewing the delivery of in-service training to address and identify approaches to musculoskeletal rehabilitation that incorporate goal-orientated movement within the embodied-embedded pain paradigm.

References

- Alaiti, R. K., Castro, J., Lee, H., Caneiro, J. P., Vlaeyen, J. W., Kamper, S. J., and Da Costa, M. F. (2022) 'What Are the Mechanisms of Action of Cognitive–Behavioral, Mind–Body, and Exercise-based Interventions for Pain and Disability in People With Chronic Primary Musculoskeletal Pain?: A Systematic Review of Mediation Studies From Randomized Controlled Trials', *The Clinical Journal of Pain*, 38(7), pp. 502-509.
- Cuddy, P., and Gaskell, L. (2020) 'How do Pilates trained physiotherapists utilize and value pilates exercise for MSK conditions? A qualitative study', *Musculoskeletal Care*, 18(3), pp. 315-329.
- French, H. P., Woodley, S. J., Fearon, A., O'Connor, L., and Grimaldi, A. (2020) 'Physiotherapy management of greater trochanteric pain syndrome (GTPS): an international survey of current physiotherapy practice', *Physiotherapy*, 109, pp. 111-120.
- Gaskell, L., Williams, A., and Preece, S. (2019) 'Perceived benefits, rationale and preferences of exercises utilized within Pilates group exercise programmes for people with chronic musculoskeletal conditions: A questionnaire of Pilates - trained physiotherapists', *Musculoskeletal Care*, 17(3), pp. 206-214.
- Haber, T., Hinman, R. S., Dobson, F., Vicenzino, B., Darlow, B., Kayll, S., and Hall, M. (2023) 'Clinical reasoning in managing chronic hip pain: One in two Australian and New Zealand physiotherapists diagnosed a case vignette with clinical criteria for hip OA as hip OA. A cross - sectional survey', *Musculoskeletal Care*, 21(3), pp. 763-775.
- Holden, M. A., Nicholls, E. E., Young, J., Hay, E. M., and Foster, N. E. (2009) 'UK - based physical therapists' attitudes and beliefs regarding exercise and knee osteoarthritis: Findings from a mixed - methods study', *Arthritis Care & Research: Official Journal of the American College of Rheumatology*, 61(11), pp. 1511-1521.
- Holden, S., Lee, H., van Middelkoop, M., and Rathleff, M. S. (2023) 'Exploring the pain and disability continuum in adolescents with non-traumatic anterior knee pain: a mediation analysis using individual participant data of prospective studies', *British Journal of Sports Medicine*, 57(21), pp. 1388-1394.
- Holden, S., Matthews, M., Rathleff, M. S., Kasza, J., Fohx Group, and Vicenzino, B. (2021) 'How do hip exercises improve pain in individuals with Patellofemoral pain? secondary mediation analysis of strength and psychological factors as mechanisms', *Journal of Orthopaedic & Sports Physical Therapy*, 51(12), pp. 602-610.
- Hotta, G. H., Alaiti, R. K., Ribeiro, D. C., McQuade, K. J., and de Oliveira, A. S. (2022) 'Causal mechanisms of a scapular stabilization intervention for patients with subacromial pain syndrome: a secondary analysis of a randomized controlled trial', *Archives of Physiotherapy*, 12(1), pp.13.
- Keavy, R. (2020) 'The prevalence of musculoskeletal presentations in general practice: an epidemiological study', *British Journal of General Practice*, 70(suppl 1).
- Mellor, R., Kasza, J., Grimaldi, A., Hodges, P., Bennell, K., and Vicenzino, B. (2022) 'Mediators and Moderators of Education Plus Exercise on Perceived Improvement in Individuals With Gluteal Tendinopathy:

An Exploratory Analysis of a 3-Arm Randomized Trial', *Journal of Orthopaedic & Sports Physical Therapy*, 52(12), pp. 826-836.

Murphy, M. C., Travers, M., Chivers, P., Debenham, J., Docking, S. I., Rio, E. K., Gibson, W., and Ardern, C. (2023) 'Can we really say getting stronger makes your tendon feel better? No current evidence of a relationship between change in Achilles tendinopathy pain or disability and changes in Triceps Surae structure or function when completing rehabilitation: A systematic review', *Journal of Science and Medicine in Sport*, 26(4-5), pp. 253-260.

Neal, B. S., Lack, S. D., Lankhorst, N. E., Raye, A., Morrissey, D., and Van Middelkoop, M. (2019) 'Risk factors for patellofemoral pain: a systematic review and meta-analysis', *British Journal of Sports Medicine*, 53(5), pp. 270-281.

Rathleff, M. S., Rathleff, C. R., Crossley, K. M., and Barton, C. J. (2014) 'Is hip strength a risk factor for patellofemoral pain? A systematic review and meta-analysis', *British Journal of Sports Medicine*, 48(14), pp. 1088-1088.

Sadler, S. G., Spink, M. J., Ho, A., De Jonge, X. J., and Chuter, V. H. (2017) 'Restriction in lateral bending range of motion, lumbar lordosis, and hamstring flexibility predicts the development of low back pain: a systematic review of prospective cohort studies', *BMC Musculoskeletal Disorders*, 18, pp. 1-15.

Smith, B. E., Hendrick, P., Bateman, M., Moffatt, F., Rathleff, M. S., Selfe, J., and Logan, P. (2017) 'Current management strategies for patellofemoral pain: an online survey of 99 practising UK physiotherapists', *BMC Musculoskeletal Disorders*, 18(1), pp. 1-11.

Stevens, M. L., Boyle, E., Hartvigsen, J., Mansell, G., Sogaard, K., Jørgensen, M. B., and Rasmussen, C. D. (2019) 'Mechanisms for reducing low back pain: a mediation analysis of a multifaceted intervention in workers in elderly care', *International Archives of Occupational and Environmental Health*, 92, pp. 49-58.

Stilwell, P., and Harman, K. (2019) 'An enactive approach to pain: beyond the biopsychosocial model', *Phenomenology and the Cognitive Sciences*, 18(4), pp. 637-665.

Tabor, A., Keogh, E., and Eccleston, C. (2017) 'Embodied pain—negotiating the boundaries of possible action', *Pain*, 158(6), pp. 1007-1011.

Van der Vlist, A. C., Breda, S. J., Oei, E. H., Verhaar, J. A., and de Vos, R. J. (2019) 'Clinical risk factors for Achilles tendinopathy: a systematic review', *British Journal of Sports Medicine*, 53(21), pp. 1352-1361.

Van Ginckel, A., Thijs, Y., Hesar, N. G. Z., Mahieu, N., De Clercq, D., Roosen, P., and Witvrouw, E. (2009) 'Intrinsic gait-related risk factors for Achilles tendinopathy in novice runners: a prospective study', *Gait & Posture*, 29(3), pp. 387-391.



This is an open access article distributed under the terms of the Creative Commons Attribution Non-Commercial 4.0 International (CC BY-NC-SA 4.0) licence (see <https://creativecommons.org/licenses/by-nc-sa/4.0/>) which permits others to copy and redistribute in any medium or format, remix, transform and on a non-commercial basis build on this work, provided appropriate credit is given. Changes made need to be indicated, and distribution must continue under this same licence.